



Haicen
Advanced Lithium Batteries

BATTERY PACK-LFP-HC12V125N



LiFePO4 Battery Specification

Preface

Thank you so much for buying lithium batteries from HAICEN
Be sure to finish reading before installation / use; So you can use the
lithium pack properly. After reading it, please keep it safe!
If there is any ambiguity about this specification, or if you need to discuss
technical issues, please contact our company!

1. General Information

This specification defines the performance of rechargeable LiFePO₄ battery pack **HC12V125N** manufactured by **HAICEN**. describes the type, performance, technical characteristics, installation, warning and caution of the battery pack.

2. Battery Specification (@ 25±5°C)

NO	Items	Characteristics
2.1	Normal capacity	125Ah
2.2	Nominal energy	1.6KWh
2.3	Nominal voltage	12.8V (4Serial-cell)
2.4	Internal resistance	≤10mΩ @1kHz AC
2.5	Normal charge voltage	14.6±0.1V
2.6	Float charge voltage(for Standby use)	13.8±0.1V
2.7	Allowed MAX charge current	100A
2.8	Recommended charge current	≤50A
2.9	Allowed MAX discharge current	100A
2.10	End of discharge voltage	10V
2.11	Over current protection	600±50A (250-350ms)
2.12	Dimensions	Length 330±2 mm
		Height 216±2 mm
		width 173±2 mm
2.13	Weight	14±0.5kg
2.14	Self-discharge rate	≤3%/Month; ≤15%/ year
2.15	Operationtemperature	Charging -20~45°C (charging current less than 5A) 0~45°C (charging current over 5A)
		Discharging -20~60°C
2.16	Storage environment	≤1month -20~+35°C、45~75%RH
		Recommend environment 15~30°C、45~75%RH

3. Battery Performance

Testing Conditions: Ambient Temperature: $25\pm 5^{\circ}\text{C}$; Humidity: 45%~85%.

Normal charge: Charge battery under CC(0.2C)/CV(14.6V) mode until over charge protection or the charge current reduce to 0.02C, and then rest for 0.5h.

NO	Items	Criterion	Condition	
3.1	Cycle life @DOD100%	≥ 2000 cycles	After Normal charge, discharge @0.2C current to the end of discharge voltage. Repeat above process until discharge capacity reduce to 80% of initial value.	
	Cycle life @DOD70%	≥ 7500 cycles	Charge the battery to 3.45V@0.2C current and hold for 0.5h, then discharge @0.2C current to 3.1V. Repeat above process until discharge capacity reduce to 80% of initial value.	
3.2	Discharge temperature characteristic@ 0.33C	-20 $^{\circ}\text{C}$	$\geq 70\%$	<u>Capacity @specified temperature</u> Capacity @ 25 $^{\circ}\text{C}$
		-0 $^{\circ}\text{C}$	$\geq 80\%$	
		25 $^{\circ}\text{C}$	$\geq 100\%$	
		55 $^{\circ}\text{C}$	$\geq 95\%$	
3.2	Capacity retention rate	remain capacity $\geq 90\%$	After normal charge, store the battery @ $25\pm 5^{\circ}\text{C}$ for two months., then discharge capacity @0.2C, the retention capacity accord with criterion.	


4. BMS

This battery pack has a battery management system (BMS), over discharge, over charge, over current, short circuit, over temperature .

4.1 BMS parameters

No	Item	Content	Criterion	
4.1	Over charge	Over-charge protection for each cell	3.75±0.05V	
		Over-charge release for each cell	3.55±0.1V	
		Over-charge release method	Under the release voltage	
4.2	Over discharge	Over-discharge protection each cell	2.20±0.1V	
		Over-discharge release for each cell	2.70±0.10V	
		Discharge over discharge release	Charge or Cut load	
4.3	Over current	Discharge over current warning	300±30A	430±50A
		Discharge over current delay	≤300ms	≤30ms
		Discharge over current release	Auto release or Cut load	
4.4	Short circuit	Short circuit protection value	580A(<800us)	
4.5	Internal resistance		<5mΩ	
4.6	Cell balancing	Cell Balance Threshold	≥3600mV	
		Cell Balance Current	116±10mA	

5. Dimension



6. Transport & Store

- Lithium-ion batteries are hazardous goods. Therefore the following points must be observed when transporting the battery modules:
- Observe the general transport regulations based on the mode of transport as well as all legal regulations.
- No fall down, no pile up over 5 layers and keep face up.
- Check the battery immediately after transport the battery.
- If user finds shell deformation of the battery pack, don't use it and contact us.

Warning & Tips.

Please read and follow the handling instructions before use. Improper use may cause

heat, fire, rupture, damage or capacity deterioration of the battery. **HAICEN**. Describes is not responsible for any accidents caused by the usage without following our handling instructions.

Warning

- Battery must be far away from heat source, high voltage, and no exposed in sunshine for long time.
- Never throw the battery into water or fire.
- Never reverse two electrodes when use the battery.
- Never connect the positive and negative of battery with metal.
- Never knock, throw or trample the battery.
- Never disassemble the battery without manufacturer's permission and guidance.
- Never use mixed with other type of battery.

Tips

- Keep the battery against high temperature. Otherwise it will cause battery heat, get into fire or lose some function and reduce the life.
- When battery run out of power, please charge your battery timely (≤ 15 day).
- Please use the matched or suggested charger for this battery.
- If battery emit peculiar smell, heating, distortion or appear any abnormality, please stop using.
- If the battery leaks and get into the eyes or skin, do not wipe, instead, rinse it with clean water and see doctor immediately.
- Please far away from children or pets.